

HONDA
The Power of Dreams


HONDA
The Power of Dreams

2011 **125cc & SCOOTERS**

The specific details of this brochure do not apply to any particular product supplied or offered for sale. Manufacturers reserve the right to vary specifications, including colours, with or without notice at such times in such manner as deemed appropriate. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. Consult your Dealer for details regarding the specifications of any featured product. This publication shall not constitute - under any circumstances whatsoever - an offer by the Company to any individual. All sales are made by the Distributor or Dealer subject to and with the benefit of the standard Conditions of Sale and Warranty provided by the Distributor or Dealer, copies of which may be obtained upon request. This publicity material conforms to the UK-only Trade Descriptions Act (1968). While efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specific details with the supplying Dealer, especially if a selection is dependent upon one of the features advertised. Please note that the fuel consumption figures provided are results obtained by Honda under standardised testing conditions prescribed by WMTC. Tests are conducted on a rolling road using a standard version of the vehicle with only one rider and no additional optional equipment. Actual fuel consumption may vary depending on how you ride, how you maintain your vehicle, weather, road conditions, tyre pressure, installation of accessories, cargo, rider and passenger weight, and other factors.

RIDE WITH STYLE Read the owner's manual thoroughly. Get to know your machine and its capabilities. Concentration assists anticipation. Observe other road users' movements. Brake in plenty of time. Wear quality kit, ride fit and NEVER after drinking alcohol. Good roadcraft and courtesy identify the skilled and stylish rider. Honda endorse the law that all helmet visors must comply with BS 4110. Visors that transmit less than 50% of visible light cannot legally be used on the road.

Honda (UK) - Motorcycles 470 London Road, Slough, Berkshire, SL3 8QY England
Honda Contact Centre - Telephone: 0845 200 8000 www.honda.co.uk
A division of Honda Motor Europe Ltd. No. 857969 Registered in England and Wales

Please don't bin me. Pass me on to a friend or recycle me.  The pulp in the manufacture of this paper is from renewable timber produced on a fully sustainable basis. The paper used in this brochure is manufactured using ECF (Elemental Chlorine Free) pulp.



TWO WHEEL FREEDOM

NEW CBR125R	04-05
XL125V VARADERO	06-07
CBF125	08-09
ANF125i INNOVA	10-11
SILVER WING 600	12-13
SH300i	14-15
SH125i	16-17
PS125i	18-19
S-WING	20-21
PCX125	22-23
LEAD 110	24
ZOOMER	25

Distinctly individual machines to suit you, your lifestyle and budget.

Today, more than ever, there's no better way to get around than on two wheels. Maybe you commute and want a time-saving, city traffic beater. Or maybe the time is right for a stylish and fashionable ride.

With our comprehensive 2011 range of 125cc motorcycles and scooters, you have the freedom to choose a distinctly individual machine to suit you, your lifestyle and budget.

Agile. Convenient. Versatile. The lowest possible running costs and minimal environmental impact too. Why wait any longer to discover the many benefits of a Honda 125cc motorcycle or scooter?

125cc & SCOOTERS





NEW CBR125R

RACE INSPIRED.

With its dynamic, race inspired design the CBR125R is instantly recognisable as a member of the cutting edge CBR family. But, at Honda, we understand that a bike that looks sporty needs to act sporty too. That's why we developed the chassis, engine and riding position using all the knowledge we've learned on the track.

The CBR125R is a serious bike for people who are serious about climbing the Super Sports ladder.

SPECIFICATION

Engine: Liquid-cooled 4-stroke 2-valve SOHC single
Displacement: 124.7 cm³
Max. Power Output: 9.8 kW / 10,000 min⁻¹ (95/1/EC)
Max. Torque: 10.4 Nm / 8000 min⁻¹ (95/1/EC)
Kerb Weight: 136.9 kg

Fuel Tank Capacity: 13 litres (incl. LCD-indicated reserve)
Seat Height: 793 mm
Ground Clearance: 185 mm
Dimensions (LxWxH): 1,946 x 704 x 1,089 mm



Asteroid Black Metallic



Terra Silver Metallic



Ross White (Tricolour)

CBR
125R



XL125 VARADERO

READY FOR ACTION.

Its wide bars, smooth-shifting transmission, comfortable full-sized proportions and exceptional fuel economy make it perfect for commuting or zipping around town with a friend. Yet it's just as adventurous as its big 1000cc brother, with the rugged suspension and smooth, responsive handling to feel at home on unpaved roads and rough trails. Its long wheelbase and wide tyres contribute to a stable ride in varying riding circumstances, while braking is smooth, predictable and re-assuring.

Let the fun begin!

SPECIFICATION

Engine: Liquid-cooled 4-stroke 4-valve SOHC 90° V-twin

Displacement: 125 cm³

Max. Power Output: 11 kW / 11,000 min⁻¹ (95/1/EC)

Max. Torque: 10.4 Nm / 8,500 min⁻¹ (95/1/EC)

Kerb Weight: 169 kg (F: 80 kg; R: 89 kg)

Fuel Tank Capacity: 16.8 litres (incl. 2.7-litre LED-indicated reserve)

Fuel Consumption: 20.1 m/l (90.45 mpg) (WMTC mode)

Seat Height: 802 mm

Ground Clearance: 190 mm

Dimensions (L×W×H): 2,145 × 847 × 1,250 mm



Pearl Siena Red



Pearl Concours Black



Shasta White

VARADERO



PGM FI



HECS3



EURO 3



CBF125

COMPACT CONVENIENCE. PEERLESS PRESENTATION. INSTANT FUN.

The CBF125 has already established a reputation for comfort, high quality and remarkably low running costs. The fuel-injected engine delivers ample power and torque for a ride feel that's both satisfying and confidence-building. Top-quality suspension components add to the confident handling and plush ride feel, even when carrying a passenger.

The aerodynamic bodywork integrates an attractive half-cowl with a small, tinted windscreen that offers the comfort of wind protection at higher speeds. Raised handlebars and a low seat height make the CBF125 riding position natural and comfortable, allowing a clear view of the road ahead. Sporty, sleek and modern, the CBF125 has a style and character unlike others in its class.

SPECIFICATION

Engine: Air-cooled 4-stroke 2-valve OHC single

Displacement: 124.7 cm³

Max. Power Output: 8.3 kW / 8,000 min⁻¹ (95/1/EC)

Max. Torque: 11.2 Nm / 6,250 min⁻¹ (95/1/EC)

Kerb Weight: 128 kg (F: 58 kg; R: 70 kg)

Fuel Tank Capacity: 13 litres

Fuel Consumption: 35.2 ml / (158.4 mpg) (WMTC mode)

Seat Height: 792 mm

Ground Clearance: 173 mm

Dimensions (LxWxH): 1,955 x 760 x 1,110 mm



PGM FI

HECS3

EURO 3



Virtuous White



Black



Sports Red

CBF125



ANF125i INNOVA

CONTEMPORARY. BIG-WHEELED STYLING. GO-GETTER ATTITUDE.

Contemporary, big-wheeled styling with an energetic attitude ensure the ANF125i Innova is always well ahead of the crowd. Attractive to look at, easy to ride and very cost effective.

The ANF125i Innova's great value, low running costs, simple operation, low emissions and terrific long-term reliability leave you free to go ahead and enjoy the good times. A dependable air-cooled, fuel-injected four-stroke engine that starts up easily, delivers smooth, strong power. The suspension provides a comfortable ride, even when carrying a passenger and a full load.

Strong, dependable brakes on big 17" wire spoke wheels add to the confident feeling of stability on bumpy streets. With a range of colour variations to choose from, the Innova lends itself easily to your fun-packed economical lifestyle. What's stopping you?

SPECIFICATION

Engine: Air-cooled 4-stroke SOHC single

Displacement: 124.8 cm³

Max. Power Output: 6.84 kW / 7,500 min⁻¹ (95/1/EC)

Max. Torque: 10.1 Nm / 3,000 min⁻¹ (95/1/EC)

Kerb Weight: 105 kg (F: 44 kg; R: 61 kg)

Fuel Tank Capacity: 3.7 litres

Fuel Consumption: 39.3 ml/l (176.9 mpg) (WMTC mode)

Seat Height: 778 mm

Ground Clearance: 139 mm

Dimensions (LxWxH): 1,896 x 727 x 1,079 mm



Force Silver Metallic /
Terra Silver Metallic



Asteroid Black Metallic /
Titanium Metallic



Ross White



Candy Caribbean Blue Sea /
Candy Lighting Blue

Innova
125



SILVER WING

HIGH FLYER

The Silver Wing's powerful parallel-twin engine delivers the power to accelerate easily away from traffic queues and glide gracefully along country roads and motorways, while heavy-duty suspension and superior braking with Combined ABS, contribute to balanced, confident handling. Storage space is generous and with a broad, comfortable passenger seat, it's an ideal way for you and a friend to escape from the city for the weekend. For those who enjoy the good things in life, the Silver Wing offers striking sophistication and dynamic performance. Isn't it time you experienced the Silver Wing's first-class freedom for yourself?

SPECIFICATION

Engine: Liquid-cooled 4-stroke 8-valve DOHC parallel twin

Displacement: 582 cm³

Max. Power Output: 37 kW / 7,000 min⁻¹ (95/1/EC)

Max. Torque: 54 Nm / 5,500 min⁻¹ (95/1/EC)

Kerb Weight: 247 kg (F: 98 kg; R: 149 kg)

Fuel Tank Capacity: 16 litres (incl. 3.5-litre reserve)

Seat Height: 740 mm

Ground Clearance: 140 mm

Dimensions (L×W×H): 2,275 × 770 × 1,430 mm



Digital Silver Metallic



Pure Black



Delta Blue Metallic

SILVER WING



SH300i


AGILE. LIVELY. COMPACT.

The newly designed SH300i body brings a modern style to the classic scooter and combines agility for getting in and out of daily traffic with the refined engineering needed to take on the big roads when you're heading out of town. With new 16" alloy wheels, a new frame and a sophisticated motorcycle suspension system the SH300i takes its reputation of best-in-class for handling to another level. Great style, great performance, great fun; everything a scooter should be. Low running costs and a quick-locking and easily detachable colour matched 35L Top Box as standard, add to the incredibly attractive overall package.

SPECIFICATION

Engine: Liquid-cooled 4-stroke 4-valve SOHC single
Displacement: 279.1 cm³
Max. Power Output: 20 kW / 8,500min⁻¹ (95/1/EC)
Max. Torque: 26.5 Nm / 6,000min⁻¹ (95/1/EC)
Kerb Weight: 170 kg (F: 66 kg; R: 104 kg)

Fuel Tank Capacity: 9 litres (incl. LCD-indicated reserve)
Fuel Consumption: 19 ml / (85.5 mpg) (WMTC mode)
Seat Height: 785 mm
Ground Clearance: 136 mm
Dimensions (LxWxH): 2,098 x 728 x 1,195 mm



Pearl Cool White



Moondust Silver Metallic



Pearl Nightstar Black



Pearl Pacific Blue



Satin Blue Metallic

SH300i





SH125i

CONTEMPORARY STYLING. IMPRESSIVE PERFORMANCE.

The SH125i is brimming with thoughtful details that make it a delight to ride. Big 16" wheels provide great stability on bumpy surfaces and cobbled streets, whilst front and rear disc brakes add to the feeling of safety. The SH125i is powered by a fuel-injected 4-stroke engine which is constantly cooled by its distinctive, forward-facing radiator, contributing to its outstanding reliability. An easily operated transmission delivers smooth, dependable power and quick, strong acceleration, even with a passenger on board. Low running costs and a quick-locking and easily detachable colour matched 35L Top Box as standard, add to the incredibly attractive overall package.

SPECIFICATION

Engine: Liquid-cooled 4-stroke 4-valve SOHC single

Displacement: 125 cm³

Max. Power Output: 10.1kW / 9,000min-1 (95/1/EC)

Max. Torque: 11.5Nm / 7,250min-1 (95/1/EC)

Kerb Weight: 136 kg (F: 54,8 kg; R: 81,2 kg)

Fuel Tank Capacity: 7.5 litres

Fuel Consumption: 23.4 m/l (105.3 mpg) (WMTC mode)

Seat Height: 785 mm

Ground Clearance: 150 mm

Dimensions (L×W×H): 2,025 × 728 × 1,230 mm



Quasar Silver Metallic



Pearl Nightstar Black



Velvet Red Metallic



Pearl Cool White





PS125i

SPORTY STYLING. SEAMLESS PERFORMANCE.

With generous proportions and wide footboard and seat, comfort is first-rate on the PS125i. Its strong, dependable liquid-cooled engine features a fully computerised fuel-injection system that ensures quick starts, smooth operation and ultra-low emissions. Handling is easy with compliant suspension absorbing any bumps and Combined disc brakes ensuring confident, balanced braking. The roomy, lockable underseat compartment holds all your essentials for the day's business and the sturdy rear carrier is designed to easily mount an optional top box if you need more carrying capacity. Do you have an active lifestyle and a full agenda? The friendly PS125i is just waiting to join in the fun.

SPECIFICATION

Engine: Liquid-cooled 4-stroke 4-valve SOHC single

Displacement: 125 cm³

Max. Power Output: 10.1kW / 9,000min-1 (95/1/EC)

Max. Torque: 11.5Nm / 7,000min-1 (95/1/EC)

Kerb Weight: 135 kg (F: 54.8 kg; R: 81 kg)

Fuel Tank Capacity: 8 litres

Seat Height: 800 mm

Ground Clearance: 125 mm

Dimensions (LxWxH): 1,990 x 700 x 1,150 mm



Interstellar Black Metallic



Pearl Cool White



Quasar Silver Metallic

PS125i



S-WING 125

LUXURIOUS. EXECUTIVE TRANSPORT.

The S-Wing 125 is powered by a liquid-cooled, fuel-injected engine which easily produces sporty thrusts of acceleration on request, while maintaining clean emissions and low fuel consumption. Smooth, assured stopping power is provided by strong combined disc brakes while compliant, motorcycle-style front forks and dual damper rear suspension ensure a comfortable ride for one or two.

A tall, wide front cowl and windscreen combine beautifully with the low, relaxed seating position to provide exceptional wind protection, making sure you arrive in style. There's plenty of comfortable space for a passenger, and the sleek rear carrier can easily mount an optional top box.

SPECIFICATION

Engine: Liquid-cooled 4-stroke SOHC single

Displacement: 125 cm³

Max. Power Output: 9.7 kW / 9,000 min⁻¹ (95/1/EC)

Max. Torque: 11.1 Nm / 7,500 min⁻¹ (95/1/EC)

Kerb Weight: 156 kg (F: 65 kg; R: 91 kg)

Fuel Tank Capacity: 9.4 litres

Fuel Consumption: 22.2 m/l (99.9 mpg) (WMTC mode)

Seat Height: 776 mm

Ground Clearance: 134 mm

Dimensions (LxWxH): 2,090 x 745 x 1,435 mm



Pearl Harvest Green



Pearl Cool White



Pearl Nightstar Black



Quasar Silver Metallic

S-wing



PCX

COMPACT. ECONOMICAL. FASHIONABLE.

From its low-noise and low-emissions operation, to its easy handling and contemporary image, the PCX offers a practical, fast and fun ride. Its 125cc engine operates with a quiet, smooth proficiency. Lightweight and surprisingly powerful, it delivers quick starting acceleration – perfect for staying ahead in busy traffic. Fuel economy is also impressive at 28.6 miles per litre, (130 mpg)* thanks in part to the innovative Idle Stop Switch that stops the engine automatically after 3 seconds of idling. It re-starts when the throttle grip is twisted. Complementing the smooth performance is a secure, relaxed ride feel thanks to the low seat height and long, spacious footrests.

SPECIFICATION

Engine: 4-stroke 2-valve SOHC single with built-in liquid cooling

Displacement: 124.9 cm³

Max. Power Output: 8.33 kW / 8,000 min⁻¹ (95/1/EC)

Max. Torque: 11.56 Nm / 6,000 min⁻¹ (95/1/EC)

Kerb Weight: 124.4 kg (F: 52.2 kg; R: 72.2 kg)

*Honda figure obtained in test conditions.
28m/l (127.3mpg) without Idle Stop (WMTC mode testing by Honda).

Fuel Tank Capacity: 6.2 litres

Fuel Consumption: 28.6 m/l (130 mpg)*

Seat Height: 761 mm

Ground Clearance: 135 mm

Dimensions (LxWxH): 1,917 × 738 × 1,094 mm



Asteroid Black Metallic



Pearl Himalaya White



Seal Silver Metallic

PCX



LEAD 110

DEPENDABLE. STYLISH.

The Lead's nippy performance, easy handling and chic, versatile styling adapt easily to your daily schedule. With slim, sculpted proportions it easily negotiates even the busiest streets and its fuel-injected, liquid-cooled engine gets you wherever you need to be. Compliant suspension and a precise Combined Brake System add to the smooth, balanced ride feel. Comfortable and cosmopolitan, friendly and fast, the Lead is the perfect companion for anyone with a lust for life and a busy schedule.

SPECIFICATION

Engine: Liquid-cooled 4-stroke 2-valve SOHC single
Displacement: 108 cm³
Max. Power Output: 6.6 kW / 7,500 min⁻¹ (95/1/EC)
Max. Torque: 9.3 Nm / 6,250 min⁻¹ (95/1/EC)
Kerb Weight: 114 kg (F: 48 kg; R: 66 kg)

Fuel Tank Capacity: 6.5 litres
Seat Height: 740 mm
Ground Clearance: 105 mm
Dimensions (LxWxH): 1,835 × 665 × 1,125 mm



Black



Cosmic Silver Metallic



Pearl Silky White



Candy Lucid Red

LEAD



ZOOMER

BARE-BONES. STREETWISE. ECONOMICAL.

Nippy town transport, a workhorse around the race paddock or a stylish accessory for fashion lovers; the Zoomer can be what you want it to be. Its advanced liquid-cooled, fuel-injected engine starts up at the touch of a button. Riding is stable and easy thanks to its chunky wheels, compliant suspension and low tank. Distinctive bug-eye headlights and wide mirrors add to its flamboyant personality as well as providing excellent visibility. The open frame design leaves plenty of room under the seat to pack the essentials you need while you're out and about. With a funky colour range and endless possibilities for customisation, it's easy to make a Zoomer your own.

SPECIFICATION

Engine: Liquid-cooled 4-stroke 4-valve SOHC single
Displacement: 49.9 cm³
Max. Power Output: 3 kW / 7,500 min⁻¹ (95/1/EC)
Max. Torque: 4.5 Nm / 5,000 min⁻¹ (95/1/EC)
Kerb Weight: 89 kg (F: 40 kg; R: 49 kg)

Fuel Tank Capacity: 5 litres (incl. 1-litre warning light reserve)
Seat Height: 735 mm
Ground Clearance: 145 mm
Dimensions (LxWxH): 1,860 × 735 × 1,025 mm



Plasma Yellow



Fighting Red



Black



Shasta White

ZOOMER

THE POWER OF DREAMS

The first product to bear the Honda name was an auxiliary engine for bicycles. Adding power to the bicycle made life a bit easier for people, and made getting around more fun. Right from the beginning, Honda was about creating things that people truly need – things that had never before existed. This takes independent thinking, audacity and imagination to follow ideas wherever they lead. It also takes determination; the passion, tenacity and innovation to never allow the dream to die, and to shape dreams into products for the world.

To realise this dream as the world prepares for a low-carbon future, Honda is leading the way in addressing the needs of people all over the globe with advanced fuel infrastructure. From bikes to cars, boats to planes, and even to the way we fuel our homes and workplaces, our passion for innovation and our desire to make life better for all just goes from strength to strength.



Honda is proud to be a founding signatory of the European Road Safety Charter. Committed to enhancing the joy of two-wheels and leading the way in road safety.



GLOSSARY

Honda has developed many innovative technologies for its motorcycling range, designed to have the greatest possible benefit for you and the world around you.



Combined Antilock Brake System

Optimises the balance of front and rear braking control while counteracting tyre slip when braking over variable road conditions.



Combined Brake System

Actuates both front and rear brakes when the rear brake pedal (or lever) is engaged, for a smooth and confident balance of braking control.



EURO-3

Complies with EURO-3 emissions regulations.



Honda Evolutionary Catalysing System

Oxygen-sensing system maintains an optimal air/fuel mixture for the most effective catalytic reduction of exhaust emissions.



Honda Ignition Security System

Only allows the bike to be started by its original encoded keys to effectively protect against theft.



Programmed Fuel Injection

Map-type computerised system maintains strong power and responsive performance in all conditions.



V-matic Transmission

Belt-converter transmission with advanced three-stage operation provides seamless shifting throughout a wide range of speeds delivered with twist-and-go ease.



Idle Stop

Fuel saving and emissions reduction system which automatically stops the engine running after 3 seconds of idling and then re-starts it when the throttle grip is twisted.